

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	Hylomar Exhaust Assembly Paste EAP5
Registration number	-
Synonyms	None.
SDS number	23
Issue date	24-May-2012
Version number	02
Revision date	15-March-2017
Supersedes date	24-May-2012
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Identified uses	Exhaust paste.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Manufacturer:	Hylomar Ltd.
Address:	Hylo House, Cale Lane, New Springs,
	Wigan, Greater Manchester,
	UK, WN2 1JT
Telephone number:	+44(0)1942 617000
E-mail address:	info@hylomar.co.uk
Contact person:	Technical Department
1.4. Emergency telephone number	+1-760-476-3961 (US)
	Access code: 333544

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards	
Skin corrosion/irritation	Category 2

Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.

Hazard summary

Causes skin irritation. Causes serious eye irritation. Occupational exposure to the substance or mixture may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms



Signal word	Warning
Hazard statements	
H315 H319	Causes skin irritation. Causes serious eye irritation.
Precautionary statements	
Prevention	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 P337 + P313	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage	Store away from incompatible materials.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	Not a PBT or vPvB substance or mixture.
	information on ingredients
3.2. Mixtures	
General information	
Chemical name	% CAS-No. / EC No. REACH Registration No. INDEX No. Notes
Silicic acid, sodium salt	10 - 30 1344-09-8 215-687-4
Classification: Skir	n Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335
Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Components not listed are either non-hazardous or are below reportable limits. The full text for all H-statements is displayed in section 16.
SECTION 4: First aid meas	sures
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
4.1. Description of first aid meas	-
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
SECTION 5: Firefighting m	leasures
General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
SECTION 6: Accidental rel	ease measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	Avoid contact with skin and eyes. Avoid inhalation of vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. In case of spills, beware of slippery floors and surfaces.
For emergency responders	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

6.2. Environmental precautions Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources. Ventilate the area.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste for proper disposal. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage
7.1. Precautions for safe handling	Use with adequate ventilation. Avoid contact with skin and eyes. Avoid breathing vapour. Wear protective clothing as described in Section 8 of this safety data sheet. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Keep away from heat, spark, open flames and other sources of ignition. Keep container tightly closed in a cool, well-ventilated place. Store away from incompatible materials.
7.3. Specific end use(s)	Exhaust paste.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	Form
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
Silicon dioxide, crystalline silica-free (CAS 7631-86-9)	TWA	6 mg/m3	Inhalable dust.
		2.4 mg/m3	Respirable dust.
Biological limit values	No biological exposure limits noted for the	ingredient(s).	
Recommended monitoring procedures	Follow standard monitoring procedures.		
Derived no effect levels (DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
8.2. Exposure controls			
Appropriate engineering controls	Provide adequate ventilation. Observe occue exposure. Provide easy access to water su		
Individual protection measures,	such as personal protective equipment		
General information	Personal protective equipment should be c discussion with the supplier of the personal		EN standards and in
Eye/face protection	Wear approved safety glasses or goggles.		
Skin protection			
- Hand protection	Wear protective gloves. Nitrile or neoprene penetrate the gloves. Frequent change is a glove supplier.		
- Other	Normal work clothing (long sleeved shirts a	and long pants) is recomm	nended.
Respiratory protection	In case of inadequate ventilation or risk of i equipment with combination filter (type A2/		e suitable respiratory
Thermal hazards	Wear appropriate thermal protective clothin	ng, when necessary.	
Hygiene measures	Always observe good personal hygiene me and before eating, drinking, and/or smoking equipment to remove contaminants.		
Environmental exposure controls	Environmental manager must be informed	of all major releases.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical s	state
------------	-------

Liquid.

Form	Paste.
Colour	Beige.
Odour	Almost odorless.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	1.89 (25 °C) (Water = 1)
Solubility(ies)	Insoluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2. Other information	No relevant additional information available.
SECTION 10: Stability and	reactivity
10.1. Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.

10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials. Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents. Fluorine. Fluorides.
10.6. Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Silicon oxides.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of each	xposure
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
11.1. Information on toxicologica	al effects
Acute toxicity	Not expected to be acutely toxic.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory sensitisation	Based on available data, the classification criteria are not met.

Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Not an aspiration hazard.
Mixture versus substance information	Not applicable.
Other information	No other specific acute or chronic health impact noted.

SECTION 12: Ecological information

12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
12.2. Persistence and degradability	No data is available on the degradability of this product.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	The product is insoluble in water. Expected to have low mobility in soil.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose of in accordance with local regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΙΑΤΑ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulkNot applicable.according to Annex II of Marpol

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/20 Not listed.	009 on substances that deplete the ozone layer, Annex I and II, as amended	
Regulation (EC) No. 850/200 Not listed.	04 On persistent organic pollutants, Annex I as amended	
	12 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended	
	12 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended	
	12 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended	
	12 concerning the export and import of dangerous chemicals, Annex V as amended	
	06 Annex II Pollutant Release and Transfer Registry, as amended	
• • • •	006, REACH Article 59(10) Candidate List as currently published by ECHA	
Not listed. Authorisations		
	006, REACH Annex XIV Substances subject to authorisation, as amended	
Not listed.	No, NEAGH Annex XIV Substances subject to authonsation, as amended	
Restrictions on use		
• • •	006, REACH Annex XVII Substances subject to restriction on marketing and use as amended	
Not listed. Directive 2004/37/EC: on the work, as amended.	e protection of workers from the risks related to exposure to carcinogens and mutagens at	
Not listed.		
Other EU regulations		
Directive 2012/18/EU on ma Not listed.	jor accident hazards involving dangerous substances, as amended	
Other regulations	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006 as amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives.	
National regulations	Follow national regulation for work with chemical agents.	
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.	
SECTION 16: Other information		
List of abbreviations		
	PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative.	
References	HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS) ESIS (European chemical Substances Information System)	
Information on evaluation method leading to the classification of mixture	The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.	
Full text of any H-statements not written out in full under		
Sections 2 to 15	H315 Causes skin irritation.	
	H319 Causes serious eye irritation.	
Tunining information	H335 May cause respiratory irritation.	
Training information Disclaimer	Follow training instructions when handling this material. The information in the sheet was written based on the best knowledge and experience currently	
Discialitiei	available.	